Web Based Electronic Service Manual (ESM) and eWD Printing Reference Sheet <u>Attention: Make the following change to your PC before printing.</u>

- In Internet Explorer (note: ESM HTML's and eWD's are configured to work in Internet Explorer, not Edge, Fox, or Chrome)
- 2. Click on Tools in the menu bar
- 3. Select Internet options and click Tabs button
- Select "Always open pop-ups in a new tab" and click "OK" (See Figure 1).
- 5. After changes, exit and re-open Internet Explorer

Tabbed Browsing Settings			
Tabbed Browsing Warn me when closing multiple tabs Always switch to new tabs when they are created Show previews for individual tabs in the taskbar* Enable Tab Groups* Open each new tab next to the current tab Open only the first home page when Internet Explorer starts			
When a new tab is opened, open: A blank page			
When a pop-up is encountered: O Let Internet Explorer decide how pop-ups should open O Always open pop-ups in a new window O Always open pop-ups in a new tab			
Open links from other programs in: O A new window A new tab in the current window The current tab or window * Takes effect after you restart your computer			
Restore defaults OK Cancel]		

Printing from the Main Sections of the ESM

- 1. Once your procedure is viewable:
 - a. Click the Print icon , shown in Figure 2.
 - b. The procedure will display in new Internet Explore tab, select File from menu bar, and select Print, shown in Figure 3.

-		Die Edit View Enveriter Toole Halo		
ESM Ele	ectronic Service Manual (+	New tab Ctrl+T		
_		Duplicate tab Ctrl+K		
ALTIMA(L33)	April 2018 SM17EA0L33U2	New window Ctrl+N nformation, refer to Wiring Diagram.		
eWD		New session		
This Count	STEERING - STEERING SYSTEM - DTC/CIRCUIT DIAGNOSIS - POWER SUPPLY AND GROUND CIRCUIT - A/C AUTO AMP.	Edit with Word 2016		
Title Search		Save		
	^	Save as Ctrl+S ud 30, located in the fuse block (J/B)].		
Symptom Code		Close tab Ctrl+W		
DTC	Regarding Wiring Diagram information, refer to Wiring Diagram.	Page setup		
		Print Ctrl-P Igerment.		
		Print preview		
	1. CHECK FUSE	Send > Late		
V POWER SUPPLY A		import and export		
✓ A/C AUTO AMP.	Check fuses [Nos. 14, 25 and 30, located in the fuse block (J/B)].	Properties		
> HEATED STEERIN				
> HEATED STEERIN	VOTE:	Replace the blown fuse after repairing the affected circuit.		
> SYMPTOM DIAGNC > PERIODIC MAINTE	keier to <u>reminar Arrangement</u> .			
> REMOVAL AND IN:	Is the inspection result normal?	2. CHECK A/C AUTO AMP. POWER SUPPLY		
> UNIT REMOVAL AN	rs die inspection result norman.	1. Turp ignition switch OFF		
> SERVICE DATA AN	YES>>			
> STEERING CONTRC > DESTRAINTS	<u>GO TO 2</u> .	2. Disconnect AyC auto amp. connector.		
		Figure 2		
riyule 2		rigule 3		

Printing Wiring Diagram within Main Sections of ESM

 User can print the Wiring Diagram from within the Publication window only if it is a <u>hyperlink</u> as shown below. If the wiring diagram displays instead of the <u>hyperlink</u>, do not attempt to print the wiring diagram. Instead, proceed to the eWD section for printing access.

ESM Electronic Service	Manual				
ALTIMA(L33) Esptember 2018 SM18EA0L33U2					
eWD Title Search Symptom Code DTC	ENGINE - ENGINE CONTROL SYSTEM - QR25DE - WIRING DIAGRAM - ENGINE CONTROL SYSTEM Wiring Diagram Refer to Wiring Diagram.				
GENERAL INFORMATION ENGINE ENGINE MECHANICAL ENGINE LUBRICATION SYSTEM ENGINE COOLING SYSTEM ENGINE CONTROL SYSTEM VQR25DE PRECAUTION PREPARATION SYSTEM DESCRIPTION ECU DIAGNOSIS INFORMATION WIRING DIAGRAM VENGINE CONTROL SYSTEM Wring Diagram None Control System					

2. Click on the "Wiring Diagram" hyperlink and it will bring up diagram images to print. Print bar will display at bottom of page.



Printing Wiring Diagram from the Electronic Wiring Diagram (eWD) Section

B

1. Use the Print icon

on the eWD window to print all required diagrams.



Any issues, please use the on-line ESM Error Reporting Form located on ASIST when accessing Service Manuals.